BOTHALIA

VOLUME 41

INDEX

ISSN 0006 8241

2011

BOTHALIA

A JOURNAL OF BOTANICAL RESEARCH

Volume 41

Scientific Editors: O.A. Leistner, G. Germishuizen
Technical Editor: B.A. Momberg



2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001

ISSN 0006 8241

2011

New combinations, names, sections, series, species, statuses, subgenera and subspecies in *Bothalia* 41 (2011)

Adenogramma natans *J.C.Manning & Goldblatt*, sp. nov., 191
Albuca gariepensis *J.C.Manning & Goldblatt* sp. nov., 315
Albuca lebaensis *(Van Jaarsv.) J.C.Manning & Goldblatt*, comb. nov., 297
Ammocharis deserticola *Snijman & Kolberg*, sp. nov., 308
Antimima paripetala *(L.Bolus) Klak*, comb.nov., 293
Bracteolatus *J.C.Manning & Goldblatt*, ser. nov., 254
Brevibracteae *Goldblatt & J.C.Manning*, sect. nov., 246
Cheilanthes deltoidea *Kunze* subsp. **silicicola** *Klopper & A.E.van Wyk*, subsp. nov., 204
Combretum psidioides *Welw.* subsp. **grandifolium** *(F.Hoffm.) Jordaan,* stat. nov., 147
Combretum sylvicola *O.Maurin*, comb. et nom. nov., 168
Cyperus atriceps *(Kük.) C.Archer & Goetgh.*, comb. & stat. nov., 300
Cyperus austro-africanus *C.Archer & Goetgh.*, nom. nov., 300
Cyperus decurvatus *(C.B.Clarke) C.Archer & Goetgh.*, comb. & stat. nov., 300
Cyperus palmatus *(Lye) C.Archer & Goetgh.*, comb. & stat. nov., 300
Cyperus uitenhagensis *(Steud.) C.Archer & Goetgh.*, comb. nov., 301
Ferraria flava *Goldblatt & J.C.Manning*, sp. nov., 31
Ferraria macrochlamys subsp. **kamiesbergensis** *(M.P.de Vos) Goldblatt & J.C.Manning*, comb. et stat. nov., 36
Ferraria macrochlamys subsp. **serpentina** *Goldblatt & J.C.Manning,* subsp. nov., 37
Ferraria ornata *Goldblatt & J.C.Manning*, sp. nov., 24
Ferraria parva *Goldblatt & J.C.Manning*, sp. nov., 26
Ferraria spithamea *(Baker) Goldblatt & J.C.Manning*, comb. nov., 15
Gasteria croucheri *(Hook.f) Baker* subsp. **pondoensis** *N.R.Crouch, Gideon F.Sm. & D.G.A.Styles*, subsp. nov., 183
Gladiolus diluvialis *Goldblatt & J.C.Manning*, nom. nov., 324
Ixia alata *Goldblatt & J.C.Manning*, sp. nov., 121
Ixia cedarmontana *Goldblatt & J.C.Manning*, sp. nov., 126
Ixia dolichosiphon *Goldblatt & J.C.Manning*, sp. nov., 126
Ixia ecklonii *Goldblatt & J.C.Manning*, sp. nov., 118
Ixia linderi *Goldblatt & J.C.Manning*, sp. nov., 97
Ixia linearifolia *Goldblatt & J.C.Manning*, sp. nov., 121
Ixia longituba *N.E.Br.* subsp. **macrosiphon** *Goldblatt & J.C.Manning*, subsp. nov., 95
Ixia monticola *Goldblatt & J.C.Manning*, sp. nov., 115
Ixia parva *Goldblatt & J.C.Manning*, nom. nov., 116
Ixia pavonia *Goldblatt & J.C.Manning*, sp. nov., 120
Ixia ramulosa *(G.J.Lewis) Goldblatt & J.C.Manning*, stat. nov., 117
Ixia recondita *Goldblatt & J.C.Manning*, sp. nov., 103
Ixia saundersiana *Goldblatt & J.C.Manning*, sp. nov., 111
Ixia stenophylla *Goldblatt & J.C.Manning*, nom. et stat. nov., 129
Lachnospermum neglectum *Schltr. ex J.C.Manning & Goldblatt*, sp. nov., 304
Metathelypteris burrowsiorum *N.R.Crouch*, sp. nov., 193
Octopoma nanum *(L.Bolus) Klak*, comb. nov., 293
Ornithoglossum pulchrum *Snijman, B.Nord. & Mannheimer*, sp. nov., 231
Pilularia dracomontana *N.R.Crouch & J.Wesley-Smith*, sp. nov., 201
Rhynchosia coddii *Germish.*, sp. nov., 319
Romulea pilosa *J.C.Manning & Goldblatt*, sp. nov., 269
Romulea quartzicola *J.C.Manning & Goldblatt*, sp. nov., 272
Romulea rosea var. **muirii** *(N.E.Br.) J.C.Manning & Goldblatt*, comb. et stat. nov., 275
Subgen. **Glutinosae** *(M.P.de Vos) Goldblatt & J.C.Manning*, subgen. & comb. nov., 11
Thereianthus bulbiferus *Goldblatt & J.C.Manning*, sp. nov., 254
Thereianthus elandsmontanus *Goldblatt & J.C.Manning*, sp. nov., 263
Thereianthus intermedius *J.C.Manning & Goldblatt,* nom. et stat. nov., 247
Tritonia cedarmontana *Goldblatt & J.C.Manning*, sp. nov., 171
Tritonia linearifolia *Goldblatt & J.C.Manning*, sp. nov., 173
Wahlenbergia suffruticosa *Cupido*, sp. nov., 179
Xenoscapa grandiflora *Goldblatt & J.C.Manning*, sp. nov., 284
Xiphotheca rosmarinifolia *A.L.Schutte*, sp. nov., 298

CONTENTS

	Page	Date
No. 1	1–230	May 2011
No. 2	231–388	Oct. 2011

ARCHER, C. & GOETGHEBEUR, P. New names and new combinations in *Cyperus* for southern Africa (Cyperaceae) 300

BESTER, S.P. & BERRUTI, S.M. First records of *Orbea cooperi* in Gauteng and Mpumalanga Provinces, *FSA* region (Apocynaceae–Asclepiadoideae–Ceropegieae) 295

BESTER, S.P. & JOUBERT, L. Distribution of *Cryptolepis delagoensis* (Periplocoideae–Cryptolepideae), a subcontinental southern African endemic and selection of a neotype (Apocynaceae) 199

CROUCH, N.R. *Metathelypteris burrowsiorum*, a new species from Swaziland and a first genus record for southern Africa (Pteridophyta–Thelypteridaceae) 193

CROUCH, N.R. & BURROWS, J.E. New pteridophyte records for the flora of Swaziland (Pteridophyta) 181

CROUCH, N.R. & SMITH, G.F. *Furcraea foetida*: an invading alien in South Africa (Agavaceae) 196

CROUCH, N.R., SMITH, G.F. & STYLES, D.G.A. *Gasteria croucheri* subsp. *pondoensis*, a new cremnophyte from Pondoland, South Africa (Asphodelaceae: Alooideae) 183

CROUCH, N.R. & WESLEY-SMITH, J. *Pilularia dracomontana*, a new species of pillwort from the KwaZulu-Natal Drakensberg, South Africa (Pteridophyta–Marsileaceae) 201

CUPIDO, C.N. A new species of *Wahlenbergia* from Western Cape, South Africa (Campanulaceae) 178

DE SOUSA, F., FIGUEIREDO, E. & SMITH, G.F. A new and an overlooked record of *Cyphostemma* (Planch.) Alston in Angola (Vitaceae) 294

FIGUEIREDO, E., PAIVA, J., STÉVART, T., OLIVEIRA, F. & SMITH, G.F. Annotated catalogue of the flowering plants of São Tomé and Príncipe 41

GERMISHUIZEN, G. A new species of *Rhynchosia* from the northern provinces of South Africa (Fabaceae) 319

GOLDBLATT, P. & MANNING, J.C. Systematics and biology of the African genus *Ferraria* (Iridaceae: Irideae) 1

GOLDBLATT, P. & MANNING, J.C. Systematics of the southern African genus *Ixia* (Iridaceae). 3. Sections *Hyalis* and *Morphixia* 83

HERMAN, P.P.J. & SWELANKOMO, N. *Vernonia* (tribe Vernonieae) and related genera in southern Africa: updates and corrections (Asteraceae) 176

JORDAAN, M., VAN WYK, A.E. & MAURIN, O. A conspectus of *Combretum* (Combretaceae) in southern Africa, with taxonomic and nomenclatural notes on species and sections 135

JORDAAN, M., VAN WYK, A.E. & MAURIN, O. Generic status of *Quisqualis* (Combretaceae), with notes on the taxonomy and distribution of *Q. parviflora* 161

KLAK, C. New combinations in *Antimima* and *Octopoma* (Aizoaceae: Ruschioideae) 292

KLOPPER, A.W. & KLOPPER, R.R. *Selaginella nivea*, a new lycophyte record for South Africa, with notes on its habitat (Lycopodiophyta: Selaginellaceae) 321

KLOPPER, R.R. & VAN WYK, A.E. A new subspecies of *Cheilanthes deltoidea* from Gauteng and Limpopo, South Africa (Pteridophyta–Sinopteridaceae) 204

KOEKEMOER, M. The true identity of *Oxylaena acicularis* (Asteraceae) 187

KOEKEMOER, M. *Bryomorphe* and *Dolichothrix* (Gnaphalieae–Relhaniinae): taxonomy and nomenclature (Asteraceae) 324

LAMPRECHT, A.J.H., CILLIERS, S.S., GÖTZE, A.R. & DU TOIT, M.J. Phytosociological description of norite koppies in the Rustenburg area, North-West Province and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa 327

LUBBE, C.S., SIEBERT, S.J. & CILLIERS, S.S. Floristic analysis of domestic gardens in the Tlokwe City Municipality, South Africa 351

MANNING, J.C. & GOLDBLATT, P. *Tritonia cedarmontana* and *T. linearifolia* (Crocoideae), two new species from the Cape Floristic Region; *T. lineata* var. *parvifolia* included in *T. gladiolaris*; and the correct author citation for *T. strictifolia* (Iridaceae) 171

MANNING, J.C. & GOLDBLATT, P. Taxonomic revision of the genus *Thereianthus* (Iridaceae: Crocoideae) 239

MANNING, J.C. & GOLDBLATT, P. Review of the genus *Xenoscapa* (Iridaceae: Crocoideae), including *X. grandiflora*, a new species from southern Namibia 283

MANNING, J.C. & GOLDBLATT, P. *Ornithogalum lebaense* transferred to *Albuca* (Hyacinthaceae) 297
MANNING, J.C. & GOLDBLATT, P. *Lachnospermum neglectum* (Asteraceae: Asteroideae: Gnaphalieae), a new and overlooked species from the Worcester Valley, Western Cape 304
MANNING, J.C. & GOLDBLATT, P. *Albuca gariepensis* (Hyacinthaceae: Ornithogaloideae), a new species of *A.* subgen. *Namibiogalum* from Gordonia, South Africa, and *A. prasina* transferred to *Ornithogalum* 314
MANNING, J.C. & GOLDBLATT, P. *Gladiolus diluvialis* (Iridaceae: Crocoideae), a replacement name for the illegitimate homonym *G. halophilus* 324
MANNING, J.C., GOLDBLATT, P. & FOREST, F. *Adenogramma natans*, a remarkable new aquatic species from Western Cape, South Africa (Molluginaceae) 189
MANNING, J.C., GOLDBLATT, P. & HARROWER, A.D. *Romulea pilosa* and *R. quartzicola* (Iridaceae: Crocoideae), two new species from the southern African winter rainfall region, with nomenclatural corrections including new names for *R. amoena*, *R. neglecta* and *R. rosea* var. *reflexa* 269
MOTEETEE, A. &VAN WYK, B-E. The medical ethnobotany of Lesotho: a review 209
MUCINA, L. & SNIJMAN, D.A. *Maireana brevifolia* (Chenopodiaceae: Camphorosmeae), a new naturalized alien plant species in South Africa 235
SCHUTTE-VLOK, A.L. A new species of *Xiphotheca* from the Western Cape, South Africa (Fabaceae) ... 298
SIEBERT, S.J., SIEBERT, F. & DU TOIT, M.J. The extended occurrence of Maputaland Woody Grassland further south in KwaZulu-Natal, South Africa 341
SMITH, G.F. Tribute to Gerrit Germishuizen, editor of *Bothalia.* 229
SMITH, G.F. Tribute to Beverley Momberg, technical editor in the publications section of the South African National Biodiversity Institute 363
SMITH, G.F. & FIGUEIREDO, E. Obituary: Franz Sebastian Müller (1913–2010) 365
SNIJMAN, D.A. & KOLBERG, H. *Ammocharis deserticola* (Amaryllidaceae: Amaryllideae), a new species from Namibia and a key to species of the genus 308
SNIJMAN, D.A., NORDENSTAM, B. & MANNHEIMER, C. *Ornithoglossum pulchrum* (Colchicaceae: Colchiceae), a new species from southern Namibia 231
STEENKAMP, Y. Compiler. South African National Biodiversity Institute: publications, 1 January 2010 to 31 December 2010 369
STEYN, H.M. *Anticharis juncea*, an overlooked record for South Africa, with notes on its type localities and flower morphology (Scrophulariaceae) 301
STRUWIG, M., SIEBERT, S.J. & KLAASSEN, E.S. Notes on *Commicarpus* in southern Africa, including a new record for Namibia (Nyctaginaceae) 289
SWELANKOMO, N. *FSA* contributions 19: Asteraceae: Anthemideae: *Eumorphia* 277
VAN ROOY, J. New and interesting records of mosses in the *Flora of southern Africa* area: 5. New provincial records (Bryophyta) 188
VAN ROOY, J., PHEPHU, N. & PEROLD, S.M. New liverwort distribution records in South Africa (Marchantiophyta) 185
VOSA, C.G., SIEBERT, S.J. & VAN WYK, A.E. Micromorphology and cytology of *Prototulbaghia siebertii*, with notes on its taxonomic significance (Alliaceae) 311

INDEX

Acidanthera capensis (Houtt.) Benth. ex Baker, 99
Adenogramma natans *J.C.Manning & Goldblatt*, 191
Africa, 161
  South, 178, 183, 185, 189, 196, 201, 204, 235, 298, 301, 314, 319, 321, 327, 341, 351
  southern, 1, 83, 135, 161, 176, 193, 199, 239, 269, 283, 289, 300
  tropical, 1
Agavaceae, 196, 351
Agave foetida L., 197
Agretta pallidiflavens Eckl., 106
Aizoaceae, 292
Albuca
  gariepensis *J.C.Manning & Goldblatt*, 315
  lebaensis *(Van Jaarsv.) J.C.Manning & Goldblatt*, 297
  prasina (Ker Gawl.) J.C.Manning & Goldblatt, 318
  subgen. Namibiogalum *(U.Müll.-Doblies & D.Müll.-Doblies) J.C.Manning & Goldlbatt*, 315
alien
  invader, 196
  plants, 351
Alliaceae, 311
Allosorus deltoideus (Kunze) Kuntze, 206
Alooideae, subfam., Asphodelaceae, 183
Amaryllidaceae, 308
Amaryllideae, tribe, Amaryllidaceae, 308
Ammocharis deserticola *Snijman & Kolberg*, 308
Anaglypha
  acicularis Benth., 187
  aspera DC., 187
Angola, 294
Angustimarginata *Engl. & Diels*, sect., Combretum *Loefl.*, 137
Angustisiphon, ser., sect. Hyalis, Ixia *L.*, 104
Anomatheca
  calamifolia Klatt, 252
  fistulosa (Spreng. ex Klatt) Goldblatt, 286
  sect. *Xenoscapa* Goldblatt, 284
Anthemideae, tribe, subfam. Asteroideae, Asteraceae, 277
Anticharis juncea *L.Bolus*, 300, 303
Antimima
  crassifolia (L.Bolus) H.E.K.Hartmann, 293
  hexamera (L.Bolus) Klak, 293
  paripetala *(L.Bolus) Klak*, 293
Aphelexis ericoides (Lam.) Sweet, 325
Apocynaceae, 199, 295
aquatic species, 189
Archer, C. & Goetghebeur, P. New names and new combinations in *Cyperus* for southern Africa (Cyperaceae), 300
Argyrocome ericoides (Lam.) Lam., 325
Argyrodendron petersii Klotzsch, 152
Asclepiadoideae, subfam., Apocynaceae, 295
Asphodelaceae, 183
Asteraceae, 176, 187, 277, 304, 324, 351
Asteroideae, subfam., Asteraceae, 304
Australia, 235
Babiana longiflora (P.J.Bergius) Steud., 99
Beilia Eckl., 245
Beilia Eckl. ex Kuntze, 245
  spicata (L.) ex Kuntze, 259
    var. *brevifolia* Kuntze, 266
    var. *triticea* (Thunb.) Kuntze, 257
  triticea (Thunb.) Eckl., 257
Berruti, S.M., 295
Bester, S.P. & Berruti, S.M. First records of *Orbea cooperi* in Gauteng and Mpumalanga Provinces, *FSA* region (Apocynaceae–Asclepiadoideae–Ceropegieae), 295
Bester, S.P. & Joubert, L. Distribution of *Cryptolepis delagoensis* (Periplocoideae–Cryptolepideae), a subcontinental southern African endemic and selection of a neotype (Apocynaceae), 199
Boerhavia
  helenae Roem. & Schult., 290
  stellata Bojer, 290
  stellata Wight, 290
Bracteolatus *J.C.Manning & Goldblatt*, ser., sect. Thereianthus, 254
Braun-Blanquet method, 327
Brevibracteae *Goldblatt & J.C.Manning*, sect., Thereianthus *G.J.Lewis*, 246
Breviramea *Engl. & Diels*, sect., Combretum *Loefl.*, 151
Brevitubae, ser., sect. Morphixia, Ixia *L.*, 119
Bryomorphe *Harv.*, 325
  aretioides *(Turcz.) Druce*, 325
  lycopodioides (Sch.Bip.) Levyns, 325
  zeyheri Harv., 325
Bryophyta, 188
Bulbocodium
  pudicum (Sol. ex Ker Gawl.) Kuntze, 274
  speciosum (Ker Gawl.) Kuntze, 276
Burrows, J.E., 181
Cacoucia *(Aubl.) Exell & Stace*, subgen., Combretum *Loefl.*, 152
Cacoucia Aubl., 152
Campanulaceae, 178
Campestria *Engl. & Diels*, sect., Combretum *Loefl.*, 151
Camphorosmeae, tribe, Chenopodiaceae, 235
Campylogyne Hemsley, 161
Cape
  Floristic Region, 171
  Western, 178, 189, 298, 304
Capillares, ser., sect. Morphixia, Ixia *L.*, 131
Ceropegieae, tribe, Asclepiadoideae, Apocynaceae, 295
Cheilanthes deltoidea *Kunze*, 204
    subsp. silicicola *Klopper & A.E.van Wyk*, 204
    subsp. deltoidea, 206
Chenopodiaceae, 235
Ciliatipetala *Engl. & Diels*, sect., Combretum *Loefl.*, 143
Cilliers, S.S., 327, 351
Cissus
  amboensis Schinz, 294
  congesta (Baker) Planch., 294
  fleckii Schinz, 294
  wittei Staner, 294
classification, 83, 161
coastal dunes, 341

Codonocroton triphyllum E.Mey., 153
Colchicaceae, 231
Colchiceae, tribe, Colchicaceae, 231
comb. nov., 11, 15, 36, 161, 168, 275, 293, 297, 300, 301
Combretaceae, 135, 161
Combretum *Loefl.*, 135, 161
adenogonium *Steud. ex A.Rich.*, 143
albopunctatum *Suess.*, 145
angustilanceolatum Engl., 150
antunesii Engl. & Diels, 142
apiculatum *Sond.*
subsp. apiculatum, 145
subsp. leutweinii *(Schinz) Exell*, 145
var. *parvifolium* Baker f., 145
arengense Sim, 146
bajonense Sim, 149
bracteosum *(Hochst.) Brandis*, 153
buchananii Engl. & Diels, 145
burttii Exell, 150
caffrum *(Eckl. & Zeyh.) Kuntze*, 139
calocarpum Gilg ex Dinter, 142
cataractarum Diels, 153
celastroides *Welw. ex M.A.Lawson*, 148
subsp. *orientale* Exell, 148
chlorocarpum Exell, 142
collinum *Fresen.*
subsp. gazense *(Swynn. & Baker f.) Okafor*, 149
subsp. ondongense *(Engl. & Diels) Okafor*, 149
subsp. suluense *(Engl. & Diels) Okafor*, 150
subsp. taborense *(Engl.) Okafor*, 150
coriaceum Schinz, 149
dekindtianum Engl., 146
detinens Dinter, 153
dinteri Schinz, 147
dregeanum C.Presl, 139
edwardsii *Exell*, 145
eilkeranum Schinz, 151
elaeagnoides *Klotzsch*, 152
ellipticum Sim, 146
engleri *Schinz*, 142
erythrophyllum *(Burch.) Sond.*, 139
var. *obscurum* Van Heurck & Müll.Arg., 140
eylesii Exell, 149
ferrugineum A.Rich., 146
fragrans F.Hoffm., 143
galpinii Engl. & Diels, 146
gazense Swynn. & Baker f., 149
ghasalense Engl. & Diels, 143
glomeruliflorum Sond., 139
var. *obscurum* (Van Heurck & Müll.Arg.) Burtt Davy, 140
var. *riparium* (Sond.) Burtt Davy, 139
glutinosum sensu Wood, 145
goetzenianum Diels, 150
grandifolium F.Hoffm., 147
griseiflorum S.Moore, 150
guangense Engl. & Diels, 153
gueinzii Sond., 146
subsp. *splendens* (Engl.) Exell ex Brenan, 146
var. *holosericeum* (Sond.) Exell ex Rendle, 146
hereroense *Schinz*, 151
subsp. *hereroense*, 151
var. *villosissimum* Engl. & Diels, 151
holosericeum Sond., 146
homblei De Wild., 148
imberbe *Wawra*, 152
var. *petersii* (Klotzsch) Engl. & Diels, 152
var. *truncatum* (Welw. ex M.A.Lawson) Burtt Davy, 152
junodii Dümmer, 150
kraussii *Hochst.*, 140
kwebense N.E.Br., 145
leutweinii Schinz, 145
lomuense Sim, 154
lopolense Engl. & Diels, 142
lucidum E.Mey. ex Drège, 140
lydenburgianum Engl. & Diels, 140
makindense Gilg ex Engl., 150
mechowianum O.Hoffm.
subsp. *gazense* (Swynn. & Baker f.) Duvign., 149
subsp. *taborense* (Engl.) Duvign., 150
microphyllum *Klotzsch*, 154
millerianum Burtt Davy, 150
minutiflorum Exell, 148
mkuzense *J.D.Carr & Retief*, 141
moggii *Exell*, 146
molle *R.Br. ex G.Don*, 146
mossambicense *(Klotzsch) Engl.*, 153
multispicatum Engl. & Diels, 143
myrtillifolium Engl., 142
nelsonii *Dümmer*, 140
oblongum F.Hoffm., 142
obtusatum Engl. & Diels, 146
odontopetalum Engl. & Diels, 142
omahekae Gilg & Dinter ex Engl., 147
ondongense Engl. & Diels, 150
oxystachyum *Welw. ex M.A.Lawson*, 155
padoides *Engl. & Diels*, 148
paniculatum *Vent.*, 154
subsp. *microphyllum* (Klotzsch) Wickens, 154
parviflorum Eichl., 168
parviflorum Rchb., 168
parvifolium Dinter, 142
patelliforme *Engl. & Diels*, 148
patelliforme Engl. & Diels p.p. quoad specim., 148
petersii (Klotzsch) Engl., 152
petrophilum *Retief*, 146
phillipsii Dümmer, 153
platypetalum *Welw. ex M.A.Lawson* subsp. platypetalum, 155
porphyrolepis Engl. & Diels, 151
primigenum Marloth ex Engl., 152
prunifolium Engl. & Diels, 152
psammophilum Diels, 150
psidioides *Welw.*, 147
subsp. dinteri *(Schinz) Exell*, 147
subsp. grandifolium *(F.Hoffm.) Jordaan*, 147
subsp. psidioides, 147
subsp. psilophyllum *Wickens*, 147
quirirense Engl. & Gilg, 147
ramosissimum Engl. & Diels, 154
rautanenii Engl. & Diels, 151

rhodesicum Baker f., 151
riparium Sond., 139
salicifolium E.Mey. ex Hook., 139
sambesiacum Engl. & Diels, 151
schinzii Engl. ex Engl. & Diels, 150
sonderi Gerrard ex Sond., 139
sp. 2, 145
splendens Engl., 146
stevensonii Exell, 152
subgen. Combretum, 137
suluense Engl. & Diels, 150
sylvicola *O.Maurin*, 168
taborense Engl., 150
tenuipes *Engl. & Diels*, 148
ternifolium Engl. & Diels, 143
tinctorum Welw. ex M.A.Lawson, 142
transvaalense Schinz, 151
var. *bolusii* Dümmer, 151
var. *villosissimum* (Engl. & Diels) Burtt Davy, 151
trichopetalum Engl., 153
truncatum Welw. ex M.A.Lawson, 152
ukambense Engl., 153
undulatum Engl. & Diels, 143
velutinum DC., 146
vendae *A.E.van Wyk*, 140
villosissimum (Engl. & Diels) Engl., 151
wattii *Exell*, 155
welwitschii Engl. & Diels, 146
woodii *Dümmer*, 141
zastrowii Dinter, 155
zeyheri *Sond.*, 141
Commicarpus
helenae (*Roem. & Schult.*) *Meikle*, 290
var. helenae, 290
stellatus (Wight) Berhaut, 290
verticillatus sensu Baker & Wright, 290
conservation, 327
cremnophyte, 183
Crocoideae, subfam., Iridaceae, 171, 239, 269, 283, 324
Crocosmia
rochensis (Ker Gawl.) Klatt, 95
tenuiflora (Ker Gawl.) Klatt, 100
Dichone *(Salisb. ex Baker) Goldblatt & J.C.Manning*, sect., Ixia *L.*, 85
Crouch, N.R. *Metathelypteris burrowsiorum*, a new species from Swaziland and a first genus record for southern Africa (Pteridophyta–Thelypteridaceae), 193
Crouch, N.R. & Burrows, J.E. New pteridophyte records for the flora of Swaziland (Pteridophyta), 181
Crouch, N.R. & Smith, G.F. *Furcraea foetida*: an invading alien in South Africa (Agavaceae), 196
Crouch, N.R., Smith, G.F. & Styles, D.G.A. *Gasteria croucheri* subsp. *pondoensis*, a new cremnophyte from Pondoland, South Africa (Asphodelaceae: Alooideae), 183
Crouch, N.R. & Wesley-Smith, J. *Pilularia dracomontana*, a new species of pillwort from the KwaZulu-Natal Drakensberg, South Africa (Pteridophyta–Marsileaceae), 201
Cryptolepideae, tribe, Apocynaceae, 199
Cryptolepis delagoensis *Schltr.*, 200
Cupido, C.N. A new species of *Wahlenbergia* from Western Cape, South Africa (Campanulaceae), 178
Cyperaceae, 300
Cyperus *L.*, 300
aristatus Rottb. var. *atriceps* Kük., 300
atriceps *(Kük.) C.Archer & Goetgh.*, 300
austro-africanus *C.Archer & Goetgh.*, 300
capensis (Steud.) Engl. var. *pseudomarlothii* Kük., 301
forma *globospica* (C.B.Clarke) Kük., 301
contractus Steud., 300
decurvatus *(C.B.Clarke) C.Archer & Goetgh.*, 300
dregeanus Kunth, 300
fulgens C.B.Clarke var. *contractus* Kük., 300
indecorus Kunth
var. *decurvatus* (C.B.Clarke) Kük., 300
var. *dinteri* Kük., 300
palmatus *(Lye) C.Archer & Goetgh.*, 300
palmatus Vorster, 300
pulcher Thunb., 300
rehmannianus (C.B.Clarke) Kuntze, 300
uitenhagensis *(Steud.) C.Archer & Goetgh.*, 301
usitatus Burch. subsp. *palmatus* Lye, 300
Cyphostemma
congestum (Baker) Desc., 294
congestum *(Baker) Desc. ex Wild & R.B.Drumm.*, 294
fleckii (Schinz) Desc., 294
wittei *(Staner) Wild & R.B.Drumm.*, 294
cytology, 311
De Sousa, F., Figueiredo, E. & Smith, G.F. A new and an overlooked record of *Cyphostemma* in Angola (Vitaceae), 294
distribution, 199, 235
diversity, 41, 351
Dodonaea
caffra Eckl. & Zeyh., 139
conglomerata Eckl. & Zeyh., 139
Dolichothrix *Hilliard & B.L.Burtt*, 325
ericoides *(Lam.) Hilliard & B.L.Burtt*, 325
Doryopteris deltoidea (Kunze) Diels, 206
var. *laxa* Sim, 206
Drakensberg, 201
Du Toit, M.J., 327, 341
editor of *Bothalia*, 229, 363
Elaeagnoidea Engl. & Diels, sect., Campestria *Engl. & Diels*, 151
endemic, 199
endemism, 341
ethnobotany, medical, 209
Eumorphia *DC.*, 277
corymbosa *E.Phillips*, 277
davyi *Bolus*, 279
dregeana *DC.*, 280
prostrata *Bolus*, 279
sericea *J.M.Wood & M.S.Evans*, 281
subsp. sericea, 281
subsp. robustior *Hilliard & B.L.Burtt*, 281
swaziensis *Compton*, 278
Fabaceae, 298, 319
fam.
Agavaceae, 196, 351

fam. (cont.)
Aizoaceae, 292
Alliaceae, 311
Amaryllidaceae, 308
Apocynaceae, 199, 295
Asphodelaceae, 183
Asteraceae, 176, 187, 277, 304, 324, 351
Campanulaceae, 178
Chenopodiaceae, 235
Colchicaceae, 231
Cyperaceae, 300
Fabaceae, 298, 319
Hyacinthaceae, 297, 314
Iridaceae, 1, 83, 171, 239, 269, 283, 324
Molluginaceae, 189
Nyctaginaceae, 289
Scrophulariaceae, 301
Thelypteridaceae, Pteridophyta, 193
Vitaceae, 294
Ferraria *Burm. ex Mill.*, 1, 9
andongensis (Baker) Rendle, 14
antherosa Ker Gawl., 29
bechuanica Baker, 11
brevifolia *G.J.Lewis*, 37
candelabrum *(Baker) Rendle*, 14
crispa *Burm.*, 17
subsp. *nortieri* M.P.de Vos, 17
crispulata L.Bolus, 35
densepunctulata *M.P.de Vos*, 22
divaricata *Sweet*, 27
subsp. *arenosa* M.P.de Vos, 28
?subsp. *aurea* M.P.de Vos, 31
subsp. *australis* M.P.de Vos, 29
ensiformis Mill., 17
ferrariola *(Jacq.) Willd.*, 25
fimbriata Burm., 39
flava *Goldblatt & J.C.Manning*, 31
foliosa *G.J.Lewis*, 18
framesii L.Bolus, 33
glutinosa *(Baker) Rendle*, 11
hirschbergii L.Bolus, 16
kamiesbergensis M.P.de Vos, 36
longa Barnes, 25
macrochlamys *(Baker) Goldblatt & J.C.Manning*, 34
subsp. macrochlamys, 35
subsp. kamiesbergensis *(M.P.de Vos) Goldblatt & J.C.Manning*, 36
subsp. serpentina *Goldblatt & J.C.Manning*, 37
major Eckl., 17
obtusifolia Sweet, 17
ornata *Goldblatt & J.C.Manning*, 24
ovata *(Thunb.) Goldblatt & J.C.Manning*, 20
parva *Goldblatt & J.C.Manning*, 26
randii (Rendle) Rendle, 11
schaeferi *Dinter*, 19
spithamea *(Baker) Goldblatt & J.C.Manning*, 15
uncinata *Sweet*, 33
subsp. *macrochlamys* (Baker) M.P.de Vos, 34
undulata L., 17
vandermerwei L.Bolus, 17
variabilis *Goldblatt & J.C.Manning*, 29
viridiflora Andrews, 25
viscaria Schinz, 11
welwitschii *Baker*, 15
Figueiredo, E., 294, 365
Figueiredo, E., Paiva, J., Stévart, T., Oliveira, F. & Smith, G.F. Annotated catalogue of the flowering plants of São Tomé and Príncipe, 41
Flora of southern Africa (*FSA*), 188
floral biology, 1
floristic analysis, 351
flower morphology, 301
flowering plants catalogue, 41
Forest, F., 189
Franz Sebastian Müller (1913–2010), 365
Freesea mineatolateritia Eckl., 108
Freesia juncifolia (Baker) Klatt, 252
FSA, 188
contributions, 277
region, 295
Fucatae, series, sect. Hyalis, Ixia *L.*, 101
Furcraea
foetida *(L.) Haw.*, 197
gigantea Vent., 197
Gasteria croucheri *(Hook.f) Baker* subsp. pondoensis *N.R.Crouch, Gideon F.Sm. & D.G.A.Styles*, 183
Gauteng Province, South Africa, 204, 295
Geissorhiza
latifolia (D.Delaroche) Baker, 112
pudica (Sol. ex Ker Gawl.) Klatt, 274
radians (Thunb.) Goldblatt, 95
geoxylic suffrutex, 341
Germishuizen, G. A new species of *Rhynchosia* from the northern provinces of South Africa (Fabaceae), 319
Gibbaria
bicolor Cass., 187
scabra *(Thunb.) Norlindh*, 187
Glabripetala *Engl. & Diels*, sect., Combretum *Loefl.*, 143
Gladiolus
alopecuroides Pers., 259
bracteolatus Lam., 257
diluvialis *Goldblatt & J.C.Manning*, 324
halophilus [as '*halophila*'] Goldblatt & J.C.Manning, 324
halophilus Boiss. & Heldr., 324
ixioides Thunb., 100
lineatus Salisb., 131
longiflorus (P.J.Bergius) Jacq., 99
punctatus (Andrews) Roem. & Schult., 257
rubens Vahl, 259
spicatus L. 259
subulatus Vahl, 257
triticeus Thunb., 257
Gnaphalieae, tribe, Asteraceae, 304, 324
Gnaphalium argyrocoma Sch.Bip., 325
Goetghebeur, P., 300
Goldblatt, P., 171, 189, 239, 269, 283, 297, 304, 314, 324
Goldblatt, P. & Manning, J.C. Systematics and biology of the African genus *Ferraria* (Iridaceae: Irideae), 1
Goldblatt, P. & Manning, J.C. Systematics of the southern African genus *Ixia* (Iridaceae). 3. Sections *Hyalis* and *Morphixia*, 83

Götze, A.R., 327
grassland, 351
guide for authors to *Bothalia*, 377
Harrower, A.D., 269
Helichrysum
aretioides Turcz., 325
ericoides (Lam.) Pers., 325
Herman, P.P.J. & Swelankomo, N. *Vernonia* (tribe Vernonieae) and related genera in southern Africa: updates and corrections (Asteraceae), 176
home gardens, 351
Houttuynia capensis Houtt., 99
Hyacinthaceae, 297, 314
Hyalis *(Baker) Diels*, sect., Ixia *L.*, 83, 85, 92
aulica (Aiton) Salisb., 112
latifolia (D.Delaroche) Salisb., 112
longiflora (P.J.Bergius) Salisb., 99
marginifolia Salisb., 119
ser., sect. Hyalis, Ixia *L.*, 93
subgen. *Hyalis* Salisb. ex Baker, 92
Hypocrateropsis *Engl. & Diels*, sect., Combretum *Loefl.*, 147
Iridaceae, 1, 83, 171, 239, 269, 283, 324
Irideae, tribe, Iridaceae, 1
Ixia *L.*
acaulis *Goldblatt & J.C.Manning* (No. 7), 98
alata *Goldblatt & J.C.Manning* (No. 30), 121
alba Eckl., 105
alba L., 105
aulica Aiton, 112
aurea *J.C.Manning & Goldblatt* (No. 16), 107
avellana R.C.Foster, 106
bellendenii *R.C.Foster* (No. 4), 95
bolusii G.J.Lewis, 125
brunneobracteata *G.J.Lewis* (No. 26), 118
capillaris *L.f.* (No. 45), 131
var. *aulica* (Aiton) Ker Gawl., 112
var. *incarnata* (Jacq.) Ker Gawl., 112
var. *lancea* Ker Gawl., 119
var. *stricta* Ker Gawl., 119
?*capitata* var. *stellata* Andrews, 111
cedarmontana *Goldblatt & J.C.Manning* (No. 34), 126
cochlearis *G.J.Lewis* (No. 9), 101
conferta R.C.Foster, 102
contorta *Goldblatt & J.C.Manning* (No. 44), 131
dieramoides *Goldblatt & J.C.Manning* (No. 47), 131
divaricata *Goldblatt & J.C.Manning* (No. 19), 110
dolichosiphon *Goldblatt & J.C.Manning* (No. 33), 126
ecklonii *Goldblatt & J.C.Manning* (No. 25), 118
erecta Thunb., 106
var. *lutea odorata* Ker Gawl., 106
esterhuyseniae *M.P.de Vos* (No. 15), 107
exiliflora *Goldblatt & J.C.Manning* (No. 46), 131
flaccida (G.J.Lewis) Goldblatt & J.C.Manning, 130
flaccida Salisb., 130
flava Lam., 275
flavescens Eckl., 106
framesii L.Bolus, 108
fucata *Ker Gawl.* (No. 10), 101
var. *filifolia* G.J.Lewis, 129
gladiolaris Lam., 131, 175
incarnata Jacq., 112
lacerata *Goldblatt & J.C.Manning* (No. 39), 130
lancea Jacq., 119
lancea Thunb., 119
latifolia *D.Delaroche* (No. 21), 112
var. *angustifolia* G.J.Lewis, 110
var. *curviramosa* G.J.Lewis, 112
var. *parviflora* G.J.Lewis, 116
var. *ramulosa* G.J.Lewis, 117
leipoldtii *G.J.Lewis* (No. 2), 93
linderi *Goldblatt & J.C.Manning* (No. 6), 97
linearifolia *Goldblatt & J.C.Manning* (No. 29), 121
longiflora Lam., 100
longiflora P.J.Bergius, 99
longituba *N.E.Br.* (No. 3), 94
subsp. longituba (No. 3a), 94
subsp. macrosiphon *Goldblatt & J.C.Manning* (No. 3b), 95
var. *bellendenii* (R.C.Foster) M.P.de Vos, 95
marginifolia *Salisb. ex G.J.Lewis* (No. 27), 119
mollis *Goldblatt & J.C.Manning* (No. 40), 130
monticola *Goldblatt & J.C.Manning* (No. 22), 115
namaquana *L.Bolus* (No. 41), 131
neglecta Schult., 276
odorata *Ker Gawl.* (No. 14), 106
var. *hesperanthoides* G.J.Lewis, 106
orientalis *L.Bolus* (No. 13), 104
ovata var. *stellata* (Andrews) Baker, 111
oxalidiflora *Goldblatt & J.C.Manning* (No. 42), 131
paniculata *D.Delaroche* (No. 8), 99
var. *rochensis* (Ker Gawl.) Baker, 95
var. *tenuiflora* (Vahl) Baker, 100
parva *Goldblatt & J.C.Manning* (No. 23), 116
patens Aiton, 130
pauciflora *G.J.Lewis* (No. 48), 131
paucifolia *G.J.Lewis* (No. 32), 125
pavonia *Goldblatt & J.C.Manning* (No. 28), 120
phlogiflora Delile, 112
polystachya var. *flavescens* (Eckl.) Baker, 106
pudica (Sol. ex Ker Gawl.) Roem. & Schult., 274
pulcherrima Eckl., 108
pumilio *Goldblatt & Snijman* (No. 1), 93
punctata Andrews, 257
purpureorosea *G.J.Lewis* (No. 18), 109
ramulosa *(G.J.Lewis) Goldblatt & J.C.Manning* (No. 24), 117
rapunculoides *Delile* (No. 36), 130
var. *namaquana* (L.Bolus) G.J.Lewis, 131
var. *rigida* G.J.Lewis, 111
var. *robusta* G.J.Lewis, 130
var. *subpendula* G.J.Lewis, 111
reclinata *Goldblatt & J.C.Manning* (No. 49), 131
recondita *Goldblatt & J.C.Manning* (No. 12), 103
reflexa Andr., 275
reflexa Thunb., 275
rivulicola *Goldblatt & J.C.Manning* (No. 38), 130
robusta *(G.J.Lewis) Goldblatt & J.C.Manning* (No. 37), 130
rochensis Ker Gawl., 95
rochensis (Ker Gawl.) L.Bolus, 95
saundersiana *Goldblatt & J.C.Manning* (No. 20), 111

Ixia *L.* (cont.)
scariosa Thunb., 112
var. *longifolia* Baker, 105
schlechteri Baker, 105
sect., 85
sobolifera *Goldblatt & J.C.Manning* (No. 43), 131
speciosa Andr., 276
spicata (L.) Willd., 259
splendida *G.J.Lewis* (No. 5), 97
stellata (Andrews) Klatt, 111
stenophylla *Goldblatt & J.C.Manning* (No. 35), 129
stohriae *L.Bolus* (No. 11), 102
striata Vahl, 131
tenuifolia *Vahl* (No. 17), 108
tenuiflora Vahl, 100
thomasiae *Goldblatt* (No. 31), 123
zeyheri Baker, 252
Jordaan, M., Van Wyk, A.E. & Maurin, O. A conspectus of *Combretum* (Combretaceae) in southern Africa, with taxonomic and nomenclatural notes on species and sections, 135
Jordaan, M., Van Wyk, A.E. & Maurin, O. Generic status of *Quisqualis* (Combretaceae), with notes on the taxonomy and distribution of *Q. parviflora*, 161
Joubert, L., 199
key
Ammocharis spp., 311
Cacoucia subgen. sections, 152
Combretum collinum subspp., 149
Combretum subgen., 136
Combretum, subgen. sections, 137
Combretum sect. Angustimarginata spp., 138
Combretum sect. Spathulipetala spp., 141
Combretum sect Ciliapetala spp., 144
Combretum sect. Hypocrateropsis spp., 148
Commicarpus spp., 289
Eumorphia spp., 277
Eumorphia sericea subspp., 281
Ferraria spp., 10
Ferraria macrochlamys subspp., 35
Hyalis sect. spp., 90
Ixia longituba subspp., 94
Ixia sections, 90
Morphixia sect. spp., 91
South African Anticharis spp., 303
Thereianthus spp., 245
Xenoscapa spp., 284
Klaassen, E.S., 289
Klak, C. New combinations in *Antimima* and *Octopoma* (Aizoaceae: Ruschioideae), 292
Klenzea lycopodioides Sch.Bip., 325
Klopper, A.W. & Klopper, R.R. *Selaginella nivea*, a new lycophyte record for South Africa, with notes on its habitat (Lycopodiophyta: Selaginellaceae), 321
Klopper, R.R., 321
Klopper, R.R. & Van Wyk, A.E. A new subspecies of *Cheilanthes deltoidea* from Gauteng and Limpopo, South Africa (Pteridophyta–Sinopteridaceae), 204
Kochia brevifolia R.Br., 236
Koekemoer, M. The true identity of *Oxylaena acicularis* (Asteraceae), 187
Koekemoer, M. *Bryomorphe* and *Dolichothrix* (Asteraceae: Gnaphalieae: Relhaniinae): taxonomy and nomenclature, 324
Kolberg, H., 308
Kwambonambi Hygrophilous Grassland, 341
KwaZulu-Natal, South Africa, 201, 341
Lachnospermum neglectum *Schltr. ex J.C.Manning & Goldblatt*, 304
Lamprecht, A.J.H., Cilliers, S.S., Götze, A.R. & Du Toit, M.J. Phytosociological description of norite koppies in the Rustenburg area, North-West Province and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa, 327
Lapeirousia
fistulosa (Spreng. ex Klatt) Baker, 286
juncifolia (Baker) N.E.Br., 252
macrochlamys Baker, 34
lectotypification, 135
Lesotho, 209
Limpopo, South Africa, 204
list of Lesotho medicinal plants, 209
liverworts, 185
Lubbe, C.S., Siebert, S.J. & Cilliers, S.S. Floristic analysis of domestic gardens in the Tlokwe City Municipality, South Africa, 351
Lycopodiophyta, 321
Macrostigmatea *Engl. & Diels*, sect., Combretum *Loefl.*, 142
magic, 209
Maireana brevifolia *(R.Br.) Paul G.Wilson*, 235, 236
Mannheimer, C., 231
Manning, J.C., 1, 83
Manning, J.C. & Goldblatt, P. *Tritonia cedarmontana* and *T. linearifolia* (Crocoideae), two new species from the Cape Floristic Region; *T. lineata* var. *parvifolia* included in *T. gladiolaris*; and the correct author citation for *T. strictifolia* (Iridaceae), 171
Manning, J.C. & Goldblatt, P. Taxonomic revision of the genus *Thereianthus* (Iridaceae: Crocoideae), 239
Manning, J.C. & Goldblatt, P. Review of the genus *Xenoscapa* (Iridaceae: Crocoideae), including *X. grandiflora*, a new species from southern Namibia, 283
Manning, J.C. & Goldblatt, P. *Ornithogalum lebaense* transferred to *Albuca* (Hyacinthaceae), 297
Manning, J.C. & Goldblatt, P. *Lachnospermum neglectum* (Asteraceae: Asteroideae: Gnaphalieae), a new and overlooked species from the Worcester Valley, Western Cape, 304
Manning, J.C. & Goldblatt, P. *Albuca gariepensis* (Hyacinthaceae: Ornithogaloideae), a new species of *A.* subgen. *Namibiogalum* from Gordonia, South Africa, and *A. prasina* transferred to *Ornithogalum*, 314
Manning, J.C. & Goldblatt, P. *Gladiolus diluvialis* (Iridaceae: Crocoideae), a replacement name for the illegitimate homonym *G. halophilus*, 324
Manning, J.C., Goldblatt, P. & Forest, F. *Adenogramma natans*, a remarkable new aquatic species from Western Cape, South Africa (Molluginaceae), 189

Manning, J.C., Goldblatt, P. & Harrower, A.D. *Romulea pilosa* and *R. quartzicola* (Iridaceae: Crocoideae), two new species from the southern African winter rainfall region, with nomenclatural corrections including new names for *R. amoena*, *R. neglecta* and *R. rosea* var. *reflexa*, 269
Marchantiophyta, 185
Mariscus Vahl., 300
aristatus (Rottb.) Cherm. var. *atriceps* (Kük.) Podlech, 300
capensis sensu Schönland, 301
dregeanus Kunth, 300
var. *buchananii* C.B.Clarke, 300
dubius, 300
indecorus (Kunth) Podlech
var. *decurvatus* (C.B.Clarke) Podlech, 300
var. *dinteri* (Kük.) Podlech, 300
marlothii (Boeck.) C.B.Clarke var. *globospica* C.B. Clarke, 301
marlothii sensu C.B.Clarke, 301
rehmannianus C.B.Clarke, 300
uitenhagensis Steud., 301
vestitus (Hochst.) C.B.Clarke var. ? *decurvata* C.B. Clarke, 300
Marsileaceae, Pteridophyta, 201
materia medica, 209
Maurin, O., 135, 161
medicine, 209
Megalantherum *Exell*, sect., Combretum *Loefl.*, 155
Mesembryanthemum
paripetalum L.Bolus, 293
reductum N.E.Br., 293
Metallicum *Exell*, sect., Combretum *Loefl.*, 149
Metathelypteris burrowsiorum *N.R.Crouch*, 193
Micranthus (Pers.) Eckl., 245
spicatus (L.) Heynh., 259
triticeus (Thunb.) Heynh., 257
micromorphology, 311
Molluginaceae, 189
Monandrus atriceps (Kük.) Vorster, 300
Montbretia
capensis (Houtt.) Voigt, 99
concolor (Sweet) Voigt, 100
lineata (Salisb.) Baker, 131
rocheana (Ker Gawl.) Heynh., 95
strictifolia Klatt, 175
tenuiflora (Ker Gawl.) Voigt, 100
Moraea
?*andongensis* Baker, 14
aurantiaca Baker, 15, 16
candelabrum Baker, 14
ferrariola Jacq., 25
glutinosa Baker, 11
kitambensis Baker, 14
?*malangensis* Baker, 11
ovata Thunb., 20
randii Rendle, 11
spithamea Baker, 15
undulata (L.) Thunb., 17
?*viscosa* R.C.Foster, 15
Morphixia (Ker Gawl.) Diels, sect., Ixia *L.*, 109
Morphixia *(Ker Gawl.) Pax*, sect., Ixia *L*, 83, 85, 109
Morphixia ser., sect. Morphixia, Ixia *L.*, 110
Morphixia
aulica (Aiton) Ker Gawl., 112
capillaris (L.f) Ker Gawl., 131
var. *incarnata* (Jacq.) Baker, 112
var. *lancea* (Ker Gawl.) Baker, 119
incarnata (Jacq.) Ker Gawl., 112
juncifolia Baker, 252
lancea (Ker Gawl.) Klatt, 119
odorata (Ker Gawl.) Baker, 106
paniculata (D.Delaroche) Baker, 99
var. *rochensis* (Ker Gawl.) Baker, 95
var. *tenuiflora* (Vahl) Baker, 100
morphology, 83
Moteetee, A. &Van Wyk, B-E. The medical ethnobotany of Lesotho: a review, 209
Mpumalanga Province, South Africa, 295
Mucina, L. & Snijman, D.A. *Maireana brevifolia* (Chenopodiaceae: Camphorosmeae), a new naturalized alien plant species in South Africa, 235
Namibia, 289, 308
southern, 283
native plants, 351
neotype, 199
new
combination, 11, 15, 36, 161, 168, 275, 292, 293, 297, 300, 301
name, 116, 129, 130, 168, 247, 269, 276, 300, 324
naturalized species, 235
records, 181, 185, 188, 289, 294, 295, 301, 321
section, 246
series, 254
species, 1, 24, 26, 31, 83, 97, 103, 111, 115, 118, 120, 121, 126, 171, 173, 178, 179, 191, 193, 201, 231, 239, 254, 263, 269, 272, 283, 284, 298, 304, 308, 315, 319
status, 36, 117, 129, 147, 247, 275, 300
synonym, 112, 274, 275, 325
nom. nov., 116, 129, 130, 168, 247, 269, 276, 300, 324
nomenclature, 135, 269, 324
Nordenstam, B., 231
Norite Koppies Bushveld, 327
Nyctaginaceae, 289
obituary: Franz Sebastian Müller (1913–2010), 365
Octopoma
nanum *(L.Bolus) Klak*, 293
tanquanum Klak, 293
Oliveira, F., 41
Orbea *(N.E.Br.) L.C.Leach*, 295
cooperi *(N.E.Br.) L.C.Leach*, 295
Ornithogaloideae, subfam., Hyacinthaceae, 314
Ornithogalum
lebaense Van Jaarsv., 297
prasinum *Ker Gawl.*, 318
Ornithoglossum *Salisb.*, 231
pulchrum *Snijman, B.Nord. & Mannheimer*, 231
Osteospermum scabrum Thunb., 187
Ovieda fistulosa Spreng. ex Klatt, 286
Oxylaena acicularis (Benth.) Anderb., 187
Oxystachya *Exell*, sect., Combretum *Loefl.*, 155

Paiva, J., 41
Paucifolieae, series, sect. Morphixia, Ixia *L.*, 125
Paulomagnusia Kuntze, 245
spicata (L.) Kuntze, 259
Pellaea deltoidea (Kunze) Baker, 206
Periplocoideae, subfam., Apocynaceae, 199
Perold, S.M., 185
Phephu, N., 185
phylogeny, 135, 161
phytosociology, 327
pillwort, 201
Pilularia dracomontana *N.R.Crouch & J.Wesley-Smith*, 201
Plumbea *Jordaan, A.E.van Wyk & O.Maurin*, sect., Combretum *Loefl.*, 152
Poivrea *(Comm. ex DC.) G.Don*, sect., Combretum *Loefl.*, 153, 161
bracteosa Hochst., 153
mossambicensis Klotzsch, 153
pollen, 239
pollination, 83, 161
Pondoland, 183
Potchefstroom, North-West Province, South Africa, 351
Príncipe, 41
Prototulbaghia siebertii Vosa, 311
Pteridophyta, 181, 193, 201, 204
Pycreus rehmannianus C.B.Clarke, 300
Quisqualis *L.*, 161
natalensis Gerrard ex Engl. & Diels, 168
parviflora *Sond.*, 168
Rapunculoides, ser., sect. Morphixia, Ixia *L.*, 130
Relhaniinae, subtribe, Asteraceae, 324
Rhynchosia coddii *Germish.*, 319
Richards Bay, KwaZulu-Natal, South Africa, 341
Romulea *Maratti*, 269
amoena Schltr. ex Bég., 274
cruciata var. *australis* Ewart, 275
flava *(Lam.) M.P.de Vos*, 275
muirii N.E.Br., 275
neglecta Jord. & Fourr., 276
neglecta M.P.de Vos, 276
oliveri M.P.de Vos, 276
parviflora Eckl., 275
pilosa *J.C.Manning & Goldblatt*, 269
pudica *(Sol. ex Ker Gawl.) Baker*, 274
quartzicola *J.C.Manning & Goldblatt*, 272
reflexa Eckl., 275
rosea
var. australis *(Ewart) M.P.de Vos*, 275
var. muirii *(N.E.Br.) J.C.Manning & Goldblatt*, 275
var. *pudica* (Sol. ex Ker Gawl.) Baker, 274
var. *reflexa* (Eckl.) Bég., 275
var. *reflexa* sensu Bég., 275
speciosa *(Ker Gawl.) Baker*, 276
Ruschia
crassifolia L.Bolus, 293
hexamera L.Bolus var. *longipetala* L.Bolus, 293
nana L.Bolus, 293
paripetala (L.Bolus) L.Bolus, 293
Ruschioideae, subfam., Aizoaceae, 292
Rustenburg, South Africa, 327
São Tomé, 41
Schutte-Vlok, A.L. A new species of *Xiphotheca* from the Western Cape, South Africa (Fabaceae), 298
Scrophulariaceae, 301
sect.
Angustimarginata *Engl. & Diels*, sect., Combretum *Loefl.*, 137
Brevibracteae *Goldblatt & J.C.Manning*, Thereianthus *G.J.Lewis*, 246
Breviramea *Engl. & Diels*, Combretum *Loefl.*, 151
Campestria *Engl. & Diels*, Combretum *Loefl.*, 151
Ciliatipetala *Engl. & Diels*, Combretum *Loefl.*, 143
Conniventia *Engl. & Diels*, Combretum *Loefl.*, 153
Dichone *(Salisb. ex Baker) Goldblatt & J.C.Manning*, Ixia *L.*, 85
Elaeagnoidea Engl. & Diels, Combretum Loefl., 151
Ferraria, 17
Glabripetala *Engl. & Diels*, Combretum *Loefl.*, 143
Glutinosae M.P.de Vos, Ferraria *Burm. ex Mill.*, 11
Hyalis, *(Baker) Diels*, Ixia *L.*, 85, 92
Hypocrateropsis *Engl. & Diels*, Combretum *Loefl.*, 147
Ixia, 85
Macroscyphae *Baker*, Ferraria *Burm. ex Mill.*, 25
Macrostigmatea *Engl. & Diels*, Combretum *Loefl.*, 142
Megalantherum *Exell*, Combretum *Loefl.*, 155
Metallicum *Exell*, Combretum *Loefl.*, 149
Morphixia *(Ker Gawl.) Pax*, Ixia *L.*, 85, 109
Morphixia (Ker Gawl.) Diels, Ixia *L.*, 109
nov., 246
Oxystachya *Exell*, Combretum *Loefl.*, 155
Plumbea *Jordaan, A.E.van Wyk & O.Maurin*, Combretum *Loefl.*, 152
Poivrea *(Comm. ex DC.) G.Don*, Combretum *Loefl.*, 153, 161
Spathulipetala *Engl. & Diels*, Combretum *Loefl.*, 141
Thereianthus, 254
Xenoscapa Goldblatt, *Anomatheca*, Iridaceae, 284
sections, 135
Selaginella nivea *Alston ex Alston*, 321
Selaginellaceae, 321
semi-arid South Africa, 235
ser.
Angustisiphon, sect. Hyalis, Ixia *L.*, 104
Bracteolatus *J.C.Manning & Goldblatt*, 254
Brevitubae, sect. Morphixia, Ixia *L.*, 119
Capillares, sect. Morphixia, Ixia *L.*, 131
Fucatae, sect. Hyalis, Ixia *L.*, 101
Hyalis, sect. Hyalis, Ixia *L.*, 93
Macroscyphae, Ferraria *Burm. ex Mill.*, 27
Morphixia, sect. Morphixia, Ixia *L.*, 110
nov., 254
Paucifolieae, sect. Morphixia, Ixia *L.*, 125
Rapunculoides, sect. Morphixia, Ixia *L.*, 130
Subdivaricatae, Ferraria *Burm. ex Mill.*, 25
Thereianthus, 259
Uncinatae, Ferraria *Burm. ex Mill.*, 33
Siebert, F., 341
Siebert, S.J., 289, 311, 351
Siebert, S.J., Siebert, F. & Du Toit, M.J. The extended occurrence of Maputaland Woody Grassland further south in KwaZulu-Natal, South Africa, 341

Sinopteridaceae, Pteridophyta, 204
Smith, G.F., 41, 183, 196, 294
Smith, G.F. Tribute to Gerrit Germishuizen, editor of *Bothalia*, 229
Smith, G.F. Tribute to Beverley Momberg, technical editor in the publications section of the South African National Biodiversity Institute, 363
Smith, G.F. & Figueiredo, E. Obituary: Franz Sebastian Müller (1913–2010), 365
Snijman, D.A., 235
Snijman, D.A. & Kolberg, H. *Ammocharis deserticola* (Amaryllidaceae: Amaryllideae), a new species from Namibia and a key to species of the genus, 308
Snijman, D.A., Nordenstam, B. & Mannheimer, C. *Ornithoglossum pulchrum* (Colchicaceae: Colchiceae), a new species from southern Namibia, 231
South Africa, 178, 183, 185, 189, 196, 201, 204, 235, 298, 301, 314, 319, 321, 327, 341, 351
  semi-arid, 235
southern
  Africa, 1, 83, 135, 161, 176, 193, 199, 239, 269, 277, 283, 289, 300
  Namibia, 231, 283, 308
sp. nov., 1, 24, 26, 31, 83, 97, 103, 111, 115, 118, 120, 121, 126, 171, 173, 178, 179, 191, 193, 201, 231, 239, 254, 263, 269, 272, 283, 284, 298, 304, 308, 315, 319
Sparaxis bulbifera (L.) Ker Gawl., 105
Spathulipetala *Engl. & Diels*, sect., Combretum *Loefl.*, 141
staff publications, 369
stat. nov., 36, 117, 129, 147, 247, 275, 300
Steenkamp, Y. Compiler. South African National Biodiversity Institute: publications, 1 January 2010 to 31 December 2010, 369
Stévart, T., 41
Steyn, H.M. *Anticharis juncea*, an overlooked record for South Africa, with notes on its type localities and flower morphology (Scrophulariaceae), 301
Stoebe nivea Thunb., 325
Struwig, M., Siebert, S.J. & Klaassen, E.S. Notes on *Commicarpus* in southern Africa, including a new record for Namibia (Nyctaginaceae), 289
Styles, D.G.A., 183
subfam.
  Alooideae, Asphodelaceae, 183
  Asclepiadoideae, Apocynaceae, 295
  Asteroideae, Asteraceae, 277, 304
  Crocoideae, Iridaceae, 171, 239, 283, 324
  Ornithogaloideae, Hyacinthaceae, 314
  Periplocoideae, Apocynaceae, 199
  Ruschioideae, Aizoaceae, 292
subgen., 11
  Beilia Eckl. ex Baker, Watsonia, 245
  Cacoucia *(Aubl.) Exell & Stace*, Combretum *Loefl.*, 152
  Combretum, Combretum *Loefl.*, 137
  Ferraria, 17
  Glutinosae *(M.P.de Vos) Goldblatt & J.C.Manning*, Ferraria *Burm. ex Mill.*, 11
  Hyalis Salisb. ex Baker, Ixia *L.*, 92
  Morphixia (Ker Gawl.) Goldblatt & J.C.Manning, Ixia *L.*, 109
  Namibiogalum *(U.Müll.-Doblies & D.Müll.-Doblies) J.C.Manning & Goldlbatt*, 315
  nov., 11
subsp. nov., 37, 95, 183, 204
subtribe Relhaniinae, Asteraceae, 324
Swaziland, 181, 193
Swelankomo, N., 176
Swelankomo, N. *FSA* contributions 19: Asteraceae: Anthemideae: *Eumorphia*, 277
syn. nov., 112, 274, 275, 325
taxonomy, 1, 83, 135, 161, 171, 176, 178, 183, 187, 189, 193, 199, 201, 204, 231, 239, 269, 277, 283, 289, 292, 294, 297, 298, 300, 304, 308, 311, 314, 319, 324
Terminalia erythrophylla Burch., 139
Thelypteridaceae, Pteridophyta, 193
Thereianthus *G.J.Lewis*, 239, 245
  bracteolatus *(Lam.) G.J.Lewis*, 257
  bulbiferus *Goldblatt & J.C.Manning*, 254
  elandsmontanus *Goldblatt & J.C.Manning*, 263
  intermedius *J.C.Manning & Goldblatt*, 247
  ixioides *G.J.Lewis*, 261
  juncifolius *(Baker) G.J.Lewis*, 252
  lapeyrousioides (Baker) G.J.Lewis, 250
    var. *elatior* G.J.Lewis, 247
  longicollis *(Schltr.) G.J.Lewis*, 264
  minutus *(Klatt) G.J.Lewis*, 250
  montanus *J.C.Manning & Goldblatt*, 249
  racemosus *(Klatt) G.J.Lewis*, 246
  sect., 254
  ser., 259
  spicatus *(L.) G.J.Lewis*, 259
    var. *linearifolius* G.J.Lewis, 259
Tlokwe City Municipality, North-West Province, South Africa, 351
traditional healers, 209
tribe
  Amaryllideae, Amaryllidaceae, 308
  Anthemideae, subfam. Asteroideae, Asteraceae, 277
  Camphorosmeae, Chenopodiaceae, 235
  Ceropegieae, Asclepiadoideae, Apocynaceae, 295
  Colchiceae, Colchicaceae, 231
  Cryptolepideae, Apocynaceae, 199
  Gnaphalieae, Asteraceae, 304, 324
  Vernonieae, Asteraceae, 176
Trichonema
  parviflorum (Eckl.) Steud., 275
  pudicum Sol. ex Ker Gawl, 274
  speciosum Ker Gawl., 276
Tritonia
  capensis (Houtt.) Ker Gawl., 99
  cedarmontana *Goldblatt & J.C.Manning*, 171
  concolor Sweet, 100
  gladiolaris *(Lam.) Goldblatt & J.C.Manning*, 131, 175
  latifolia (D.Delaroche) N.E.Br., 112
  laxifolia var. *strictifolia* (Klatt) Baker, 175
  linearifolia *Goldblatt & J.C.Manning*, 173
  lineata (Salisb.) Ker Gawl., 131
    var. *parvifolia* M.P.de Vos, 175
  longiflora (P.J.Bergius) Ker Gawl., 99
  paniculata (D.Delaroche) Klatt, 99

Tritonia (cont.)
rocheana Sweet, 95
rochensis Ker Gawl., 95
strictifolia *(Klatt) Benth. & Hook.f.*, 131, 175
strictifolia *(Klatt) Benth. & Hook.f. ex B.D.Jacks.*, 175
tenuiflora (Vahl) Ker Gawl., 100
Tritonixia
conferta Klatt, 102
lineata (Salisb.) Klatt, 131
tropical Africa, 1
updates and corrections in Vernonia *Schreb.*, 176
urban ecology, 351
Van Rooy, J. New and interesting records of mosses in the *Flora of southern Africa* area: 5. New provincial records (Bryophyta), 188
Van Rooy, J., Phephu, N. & Perold, S.M. New liverwort distribution records in South Africa (Marchantiophyta), 185
Van Wyk, A.E., 135, 161, 204, 311
Van Wyk, B-E., 209
vegetation
map, 327
mapping, 341
vernacular names of medicinal plants in Sesotho, 209
Vernonia *Schreb.*, 176
Vernonieae, tribe, Asteraceae, 176
Vitaceae, 294
Vitis congesta Baker in Oliv., 294
Vosa, C.G., Siebert, S.J. & Van Wyk, A.E. Micromorphology and cytology of *Prototulbaghia siebertii*, with notes on its taxonomic significance (Alliaceae), 311
Wahlenbergia Schrad. ex Roth, 178
suffruticosa *Cupido*, 179
Waitzia
capensis (Houtt.) Reichb., 99
concolor (Sweet) Heynh., 100
rochensis (Ker Gawl.) Heynh., 95
tenuiflora (Ker Gawl.) Heynh., 100
Watsonia
filifolia E.Mey., 261
juncifolia (Baker) Baker, 252
lapeyrousioides Baker, 250
longicollis Schltr., 264
minuta Klatt, 250
punctata (Andrews) Ker Gawl., 257
var. *filifolia* E.Mey. ex Baker, 261
var. *longicollis* Baker, 264
var. *triticea* (Thunb.) Baker, 257
racemosa Klatt, 246
rubens (Vahl) Ker Gawl., 259
subgen. *Beilia* Eckl. ex Baker, 245
subulata Klatt, 257
triticea (Thunb.) Spreng., 257
unranked *Beilia* Eckl. ex Baker, 245
Wesley-Smith, J., 201
Western Cape, 178, 189, 298, 304
winter rainfall
southern Africa, 1
zone, 83
Worcester Valley, Western Cape, South Africa, 304
Xenoscapa *(Goldblatt) Goldblatt & J.C.Manning*, 283, 284
fistulosa *(Spreng. ex Klatt) Goldblatt & J.C.Manning*, 286
grandiflora *Goldblatt & J.C.Manning*, 284
uliginosa *Goldblatt & J.C.Manning*, 285
Xeranthemum ericoides Lam., 325
Xerothamnus ecklonianus DC., 187
Xiphotheca rosmarinifolia *A.L.Schutte*, 298